

INDEX

BARRICADES

Timber: B-1

CONCRETE

Specifications: C-1, C-2
Cold Joints: C-34

CUL-DE-SACS

Commercial and Residential: P-23
Residential: P-19
Rural Residential (Min. 1 Acre Lot): P-21

CURB

Median, Retaining and Landscape: C-8

CURB AND GUTTER

Barrier: C-4
Barrier (Infill & Replacement Only): C-5
Roll (Infill & Replacement Only): C-6

CURB RETURNS

20' Radius Residential: C-13, C-14, C-15
30' Radius: C-16
35' Radius Commercial: C-17, C-18
Detectable Warning Surface: C-33

DESIGN CRITERIA

Drainage: D-36
Gravel Equivalents and Minimum Thickness: P-28
Intensity Duration Curves: D-35
Traffic Index Conversion Chart: P-29

DETECTABLE WARNING SURFACE

Detail: C-33

DRAINAGE

Commercial Sidewalk Drain: D-20
Residential Sidewalk Drain: D-19
Typical Lot: D-21

DRAINAGE INLET

Miscellaneous Details: D-14
Type GO: D-12
Type GO Frame and Grate: D-13
Vee Gutter: D-15
Vee Gutter Frame and Grate: D-16

DRIVE APPROACHES

Locations: C-32
Major Commercial with 20' Radius: C-28
Major Commercial with 20' Radius (Alt.): C-29
Major Commercial with 35' Radius: C-26
Major Commercial with 35' Radius (Alt.): C-27
Multi-Family Residential/Office/Commercial: C-23
Office/Commercial (Alt.): C-24
Residential: C-22

EXCAVATION

Pipe Concrete Backfill: E-2
Trench Backfill/Patch Paving: E-1
Trench Plate Details: E-3
Utility Pothole Backfill: E-4

FENCING

Chain Link: F-1
Concrete Block: F-3
Concrete Block Alt. Footing: F-6
Concrete Block Retaining Wall: F-4
Northeast Area Specific Plan Concrete Block: F-5
Wood Retaining Wall: F-2

GRAVEL EQUIVALENTS AND MIN THICKNESS

Chart: P-28

GUTTERS

Vee: C-7, D-15, D-16

HAMMERHEAD TURNAROUND

Temporary Private Street: P-26
Temporary Public Street: P-25

MAILBOX

Cluster: M-2
Cluster Location: M-3
Infill & Replacement: M-1

MANHOLES

48" Sanitary Sewer: S-1
60" Sanitary Sewer: S-2
72" Sanitary Sewer: S-3
48" Storm Drain: D-1
60" Storm Drain: D-2
72" Storm Drain: D-3
Cast In Place Concrete Pipe: D-4
Frame and Cover: D-8, S-6
Lateral Line Connection at Existing Manhole: D-10
Sanitary Sewer Drop: S-4
Sanitary Sewer Flow Channels: S-8
Storm Drain Joint Finishing Requirements: D-7
Storm Drain Sump Requirements: D-6

MEDIAN ISLAND

Curb: C-8
Installation in Existing Pavement: P-13
Nose Detail: C-36
Opening for One Way Left Turn Only: P-9
Opening for Two Way Left Turn Only: P-10
Opening Signing: TS-1
Stamped Concrete: C-35
Stamped Concrete and Landscaping Locations: P-12
Street Light: SL-5, SL-8
Typical Break Locations: P-11

MONUMENTS

Survey: MN-1

PARKING

Accessible Parking: PK-3, PK-4
Lighting (City Lots): PK-5
Drachman System: PK-2
Standards Table: PK-1

PAVEMENT SECTIONS

Alley: P-27
Arterial Intersection Design: P-8
Arterial Median Island Stamped Concrete and
Landscaping Locations: P-12
Arterial Median Island Installation in Existing
Pavement: P-13
Arterial Median Island Opening For One Way Left
Turn Only: P-9
Arterial Median Island Opening For Two Way Left
Turn Only: P-10
Bulb Connection: P-24
Collector: P-5
Collector with Landscape Easement: P-6, P-37
Cul-de-sac: P-19
Cul-de-sac and Minor Loop Layout: P-23
Cul-de-sac (Rural Residential): P-21
Divided Collector with Landscape Easement: P-35
Gravel Equivalents and Minimum Thickness: P-28
Hammerhead Turnaround (Private Street): P-26

INDEX (Continued)

PAVEMENT SECTIONS (Continued)

Hammerhead Turnaround, Temporary (Public Street): P-25
Local Minor Loop: P-23
Local Through (Residential): P-17
Local (Residential): P-18
Local (Rural Residential): P-20
Local (Service Commercial & Industrial): P-16
Local (Industrial): P-15
Major Arterial: P-1
Major Arterial with Landscape Easement: P-2
Major Arterial Intersection: P-7, P-8
Median Break Locations: P-11
Minor Arterial and Major Collector: P-3
Minor Arterial and Major Collector with Landscape Easement: P-4, P-36
Private Street Guidelines: P-30, P-31
Super Block Connectivity: P-22
"T" Intersection/Temporary Half Street: P-33, P-34
Unpaved Street and Shoulder Requirements: P-32

PRIVATE STREETS

Guidelines: P-30, P-31

REFUSE CONTAINER ENCLOSURE

12' Enclosure: R-1
12' Enclosure with Door: R-2
24' Enclosure: R-3
24' Enclosure with Door: R-4
Concrete Apron Detail: R-5
Door Details: R-7
Gate Details: R-6

SAND AND GREASE TRAP

Outside Industrial Sand, Grease and Oil Interceptor: S-13

SANITARY SEWER

48" Manhole: S-1
60" Manhole: S-2
72" Manhole: S-3
Abandoned Pipe Plug: D-39
Cleanout: S-11
Connection: S-10
Drop Manhole: S-4
Flow Channels for Manholes: S-8
Lift Station & Force Main: S-13
Manhole Frame and Cover: S-6

SIDEWALKS

Sidewalk – Residential with Parkway: C-9
Sidewalk – Residential Adjacent to Curb: C-10
Sidewalks – Office/Commercial: C-11

SIGHT DISTANCE

Detail: SD-1

STORM DRAIN

48" Manhole: D-1
60" Manhole: D-2
72" Manhole: D-3
Abandoned Pipe Plug: D-39
Cast In Place Concrete Pipe: D-4
Construction Joint Concrete Filled Collar: D-37
Design Criteria for Drainage: D-36
Drainage Inlet Type GO: D-12
Drainage Inlet Type GO Frame and Grate: D-13
Intensity Duration Curves: D-35
Lateral Line Connection: D-10
Manhole Frame and Cover: D-8
Manhole Joint Finishing Requirements: D-7
Manhole Sump Requirements: D-6
Miscellaneous Drainage Inlet Details: D-14

STORM DRAIN (Continued)

Outfall Structure Type A: D-22, D-23, D-24
Outfall Structure Type B: D-25, D-26, D-27, D-28
Pipe End Plug for Concrete Pipe: D-38
Round Trash Rack for Basin Pump Inlet Structure: D-32
Vee Gutter Drainage Inlet: D-15
Vee Gutter Drainage Inlet Frame and Grate Detail: D-16

STREET BULB CONNECTION

Detail: P-24
Local Minor Loop Layout: P-23

STREET LIGHTING

Arterial Street with Median: SL-5, SL-8
Arterial Street with No Median: SL-4
Collector Street Width 46' or Less: SL-2
Collector Street Width Greater Than 46': SL-3
Local Street: SL-1
Signal Pole Location: SL-9
Sun Valley Street Light: SL-6, SL-7

TRAFFIC INDEX

Conversion Chart: P-29
Blank: TS-8
Faces Style A: TS-9
Faces Style B: TS-10
Faces Style C: TS-11
Installation: TS-1
Installation with "STOP" Sign: TS-2
Local/Local Street Intersection: TS-5
Local/Major Street Intersection: TS-6
Locations (Local Street): TS-4
Median Island Opening Signage: TS-12
Sign Bracket: TS-13
Signal Pole Location: SL-9
Signalized Intersection: TS-7
"T" Intersection/Temporary Half Street: P-33
Type 1: TS-3

TRAFFIC STRIPING

Arterial/Collector Half Street: P-14
Arterial Intersection: P-7

TRANSIT DETAILS

Shelter & Sign Location with Wheelchair Area: TR-1
Sign: TR-2
Pad: TR-3
Stops A & B: TR-4
Stops C & D: TR-5

TRENCHING

Backfill and Paving: E-1
Trench Plate Details: E-3

UTILITY LOCATIONS

Locations: U-1, U-2

VEE GUTTER

Detail: C-7
Drainage Inlet: D-15
Drainage Inlet Frame and Grate Detail: D-16

WATER STRUCTURES

Back-Flow Prevention Device: W-5
Sampling Device for 2" Blow-Off: W-1
Standard 2" Blow-Off Assembly: W-2
Standard Installation for Tracer Wires: W-11
Typical Fire Hydrant Installation: W-12
Typical Thrust Block Installation: W-3, W-4

INDEX (Continued)

WATER STRUCTURES (Continued)

Valve Casing, Cover & Frame Installation: W-6, W-7
Valve Cover & Frame Fabrication Cover
 Type "A": W-8
Valve Cover & Frame Fabrication Cover
 Type "B": W-9
Valve Covers: W-10